

Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Revision: N°13 (06/03/2022)

Date: 06/03/2022 Page 1/9

# PROTECTGUARD WF PREMIUM - 2138

## **SAFETY DATA SHEET**

(REACH regulation (EC)  $n^{\circ}$  1907/2006 -  $n^{\circ}$  2020/878)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: PROTECTGUARD WF PREMIUM

Product code: 2138.

UFI: HJW5-S0N2-J00K-E394

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Protection product Porous mineral substrates

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

#### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS02

GHS07

Signal Word:

WARNING

 $Hazard\ statements:$ 

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P264 Wash hands thoroughly after handling.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

Date: 06/03/2022 Page 2/9

Revision: N°13 (06/03/2022)

PROTECTGUARD WF PREMIUM - 2138

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection/ ...

Precautionary statements - Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements - Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - Disposal:

P501 Dispose of contents/container to a centre for harmful waste.

Other information:

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition:**

Identification	(EC) 1272/2008	Note	%
CAS: 5593-70-4	GHS07, GHS05, GHS02		
EC: 227-006-8	Dgr		
	Flam. Liq. 3, H226		
TETRABUTANOATE DE TITANE	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
	STOT SE 3, H335		
	STOT SE 3, H336		
INDEX: 603-001-00-X	GHS02, GHS06, GHS08	[1]	
CAS: 67-56-1	Dgr		
EC: 200-659-6	Flam. Liq. 2, H225		
	Acute Tox. 3, H331		
METHANOL	Acute Tox. 3, H311		
	Acute Tox. 3, H301		
	STOT SE 1, H370		

### **Specific concentration limits:**

Specific concentration minus.		
Identification	Specific concentration limits	ATE
CAS: 5593-70-4		oral: ATE = 3122 mg/kg BW
EC: 227-006-8		
TETRABUTANOATE DE TITANE		
INDEX: 603-001-00-X	STOT SE 1 (Cut) : H370 C>= 10%	
CAS: 67-56-1	STOT SE 2: H371 3% <= C < 10%	
EC: 200-659-6	STOT SE 1 (Oral): H370 C>= 10%	
	STOT SE 2: H371 3% <= C < 10%	
METHANOL	STOT SE 1 (Inh): H370 C>= 10%	
	STOT SE 2: H371 3% <= C < 10%	

#### **Information on ingredients:**

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD WF PREMIUM - 2138

Date: 06/03/2022 Page 3/9

Revision: N°13 (06/03/2022)

#### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

#### In the event of splashes or contact with skin:

Wash with water and soap. if any sign/symptom develops seek for medical assistance.

#### In the event of swallowing:

Seek medical attention, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

### 5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

#### Suitable methods of extinction

Prevent the effluent of fire-fighting measures from entering drains or waterways.

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Revision: N°13 (06/03/2022)

Date: 06/03/2022 Page 4/9

#### PROTECTGUARD WF PREMIUM - 2138

#### 6.4. Reference to other sections

No data available.

#### SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always ground when decanting. Wear antistatic shoes and clothing and make floors of non-conductive

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

## **Packaging**

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### Occupational exposure limits:

- European Union (2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS		VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:
67-56	-1	260	200	-	-	Peau

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
67-56-1	200 ppm	250 ppm		Skin: BEI	

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VMF ·	VMF ·	Excess	Notes		



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

Date: 06/03/2022 Page 5/9

Revision: N°13 (06/03/2022)

#### PROTECTGUARD WF PREMIUM - 2138

67-56-1	200 ppm	4(II)
	$270 \text{ mg/m}^3$	

#### - France (INRS - ED984 / 2020-1546):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
67-56-1	200	260	1000	1300	(12)	84

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
67-56-1	200 ppm	250 ppm		Sk	
	266 mg/m <sup>3</sup>	$333 \text{ mg/m}^3$			

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Clear

Odour

Odour threshold: Not stated.

Caractertistic

**Melting point** 

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range: Not stated.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

Revision: N°13 (06/03/2022)

Date: 06/03/2022 Page 6/9

#### PROTECTGUARD WF PREMIUM - 2138

Boiling point or initial boiling point and boiling range

Boiling point/boiling range :  $180^{\circ}\text{C}$  à 1013 hPa

**Flammability** 

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Néant Explosive properties, upper explosivity limit (%): Néant

Flash point

Flash Point: 40.00 °C.

Auto-ignition temperature

Self-ignition temperature: Not specified.

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: Not relevant.
pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: (cinématique) 14mm²/s à 25°C

**Solubility** 

Water solubility: Insoluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1,03 à 25°C

Relative vapour density

Vapour density: Not stated.

9.2. Other information

Organic solvents rate 2.0%

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

#### SECTION 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- accumulation of electrostatic charges.
- heating



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Date: 06/03/2022 Page 7/9 Revision: N°13 (06/03/2022)

#### PROTECTGUARD WF PREMIUM - 2138

- heat
- flames and hot surfaces

#### 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

#### 11.1.1. Substances

#### Acute toxicity:

TETRABUTANOATE DE TITANE (CAS: 5593-70-4)

Oral route : LD50 = 3122 mg/kg

Species: Rat

#### 11.1.2. Mixture

Acute toxicity:

LD50 > 2000 mg/kgLC50 > 240 mg/l

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

## **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Endocrine disrupting properties

No data available.

## 12.7. Other adverse effects

No data available.

## $German\ regulations\ concerning\ the\ classification\ of\ hazards\ for\ water\ (WGK,\ AwSV\ vom\ 18/04/2017,\ KBws):$

WGK 1 : Slightly hazardous for water.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Revision: N°13 (06/03/2022)

Date: 06/03/2022 Page 8/9

#### PROTECTGUARD WF PREMIUM - 2138

## Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number or ID number

4

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

\_

14.6. Special precautions for user

-

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:

No data available.

#### - Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 1 : Slightly hazardous for water.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Date: 06/03/2022 Page 9/9 Revision: N°13 (06/03/2022)

#### PROTECTGUARD WF PREMIUM - 2138

#### Wording of the phrases mentioned in section 3:

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. Toxic in contact with skin. H311 H315 Causes skin irritation. H318 Causes serious eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H370 Causes damage to organs .

#### **Abbreviations:**

LD50: The dose of a test substance resulting in 50% lethality in a given time period. LC50: The concentration of a test substance resulting in 50% lethality in a given period. REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

UFI: Unique formulation identifier.

STEL: Short-term exposure limit

TWA: Time Weighted Averages

TMB: French Occupational Illness t

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

 $AEV:\ Average\ Exposure\ Value.$ 

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$ 

GHS02: Flame

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.