

Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

Date: 18/05/2023 Page 1/10 Revision: N°11 (30/03/2023)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: GUARD CLEANER ALGAE

Product code: 7120.

N/A

UFI: W8QM-C0AT-G002-YUEJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Treatment product N/A

1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Biocidal mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

 $Signal\ Word:$

WARNING

Hazard statements:

H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

Date: 18/05/2023 Page 2/10

Revision: N°11 (30/03/2023)

GUARD CLEANER ALGAE - 7120

Precautionary statements - Prevention:

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection/ ...

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/soap.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal:

P501 Dispose of contents/container referring to the local regulation.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 68424-85-1	GHS07, GHS05, GHS09		1 <= x % < 2.5
EC: 270-325-2	Dgr		
	Acute Tox. 4, H302		
COMPOSÉ DE L'ION AMMONIUM	Skin Corr. 1B, H314		
QUATERNAIRE, BENZYL EN C12-16	Eye Dam. 1, H318		
ALKYLDIMETHYLE, CHLORURE	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 10		

Specific concentration limits:

Specific concentration innes:		
Identification	Specific concentration limits	ATE
CAS: 68424-85-1		oral: ATE = 795 mg/kg BW
EC: 270-325-2		
COMPOSÉ DE L'ION AMMONIUM		
QUATERNAIRE, BENZYL EN C12-16		
ALKYLDIMETHYLE, CHLORURE		

Information on ingredients:

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

Move victims into fresh air.

If you feel unwell, seek for immediate mediacal attention.

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

Date: 18/05/2023 Page 3/10

Revision: N°11 (30/03/2023)

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Wash immediately and thoroughly with water.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

Date: 18/05/2023 Page 4/10

Revision: N°11 (30/03/2023)

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Storage temperature: between 5 and 25°C.

keep away from direct solar light.

Do not store along with foodstuffs.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant

Provide eyewash stations in facilities where the product is handled constantly.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

Date: 18/05/2023 Page 5/10

Revision: N°11 (30/03/2023)

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid. Colour Clear

Odour Odour threshold:

Not stated. Light

Melting point Melting point/melting range: Not specified.

Freezing point Not stated. Freezing point / Freezing range:

Boiling point or initial boiling point and boiling range

Not specified. Boiling point/boiling range:

Flammability

Flammability (solid, gas): Not stated. Lower and upper explosion limit

Not stated. Explosive properties, lower explosivity limit (%): Explosive properties, upper explosivity limit (%): Not stated.

Flash point Not relevant. Flash point interval:

Auto-ignition temperature

Self-ignition temperature: Not specified.

Decomposition temperature Decomposition point/decomposition range: Not specified.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

pН

pH: Not stated.

Neutral.

Date: 18/05/2023 Page 6/10

Revision: N°11 (30/03/2023)

pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Solubility

Water solubility: Soluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Not stated. Partition coefficient: n-octanol/water:

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

= 1Density:

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S. Date: 18/05/2023 Page 7/10 Revision: N°11 (30/03/2023)

110/15/01/11/11/(55/05/25/25

11.1.1. Substances

Acute toxicity:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS:

GUARD CLEANER ALGAE - 7120

68424-85-1)

Oral route : LD50 = 795 mg/kg Species : Rat

Skin corrosion/skin irritation:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS:

68424-85-1)

Corrosivity: Causes severe skin burns.

Effect observed: Overall irritation score

Respiratory or skin sensitisation:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS:

68424-85-1)

Local lymph node stimulation test: Non-Sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

Guinea Pig Maximisation Test (GMPT): Non-sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

Buehler Test: Non-sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Fish toxicity: LC50 0.85 mg/l

Factor M = 1

Species : Oncorhynchus mykiss Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

NOEC = 0.0322 mg/l

Species : Pimephales promelas Duration of exposure : 28 days

EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies)

Crustacean toxicity: EC50 0.016 mg/l

Species : Daphnia magna Duration of exposure : 48 h



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Date: 18/05/2023 Page 8/10

Revision: N°11 (30/03/2023)

NOEC = 0.025 mg/l Species : Daphnia magna Duration of exposure : 21 days

OECD Guideline 211 (Daphnia magna Reproduction Test)

Algae toxicity: ECr50 = 0.02 mg/l

Species: Selenastrum capricornutum

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

EC10 mg/l

Species: Selenastrum capricornutum

OECD Guideline 201 (Alga, Growth Inhibition Test)

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Biodegradability: Rapidly degradable.

12.3. Bioaccumulative potential

12.3.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Octanol/water partition coefficient : $\log \text{Koe} = 2.88$

OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

$German\ regulations\ concerning\ the\ classification\ of\ hazards\ for\ water\ (WGK,AwSV\ Annex\ I,\ KBws):$

WGK 1: Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

Date: 18/05/2023 Page 9/10

Revision: N°11 (30/03/2023)

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

- Labelling for biocidal products (Regulation (UE) n° 528/2012):

Eusening for blocked products (Regulation (CE) in 320/2012):					
Name	CAS	%	Product-type		
COMPOSÉ DE L'ION AMMONIUM	68424-85-1	24.00 g/kg	10		
QUATERNAIRE, BENZYL EN C12-16					
ALKYLDIMETHYLE, CHLORURE					

Product-type 10: Construction material preservatives.

- German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 1: Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.



Version: N°1 (30/03/2023) GUARD INDUSTRIE S.A.S.

GUARD CLEANER ALGAE - 7120

Date: 18/05/2023 Page 10/10

Revision: N°11 (30/03/2023)

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW : Body Weight

UFI : Unique formulation identifier.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.