

**GUARD CLEANER®****Degreaser**

DEGREASING FLOOR CLEANER REMOVES GREASY STAINS AND DIRT

- ✓ REMOVES GREASE AND OIL IN DEPTH
- ✓ SUPER-POWERED ACTION
- ✓ EXTERIOR AND INTERIOR

- ✓ BIOSOURCED FORMULA BASED ON INGREDIENTS OF PLANT ORIGIN
- ✓ ALL MATERIALS: STONE, CONCRETE, MARBLE, TILES...

DESCRIPTION

Guard Cleaner Degreaser® Plant Based Formula is a new generation degreasing cleaner designed to clean floors soiled by stains and greasy dirt (food grease, mineral oil, air pollution, etc.).

Guard Cleaner Degreaser® Plant Based Formula is a biosourced product derived from biomass. It has been formulated on the basis of ingredients of plant origin (rapeseed, sunflower, canola, soya). The use of plant molecules represents an eco-responsible alternative to environmentally damaging fossil resources.

Guard Cleaner Degreaser® Plant Based Formula contains no toxic or harmful ingredients and does not require neutralisation after rinsing with water.

USE

Ideal indoors and outdoors for cleaning horizontal surfaces made of concrete, natural or reconstituted stone, terracotta, tiles, porcelain stoneware, marble, paving stones, composite wood, etc.

ADVANTAGES AND CHARACTERISTICS

- Powerful, fast acting cleaner.
- Easy to use and ready to use.
- No neutralisation after rinsing.
- Non-corrosive.
- Can be used on all mineral surfaces.

CONTAINERS

1, 4 and 20 litres.



ENVIRONMENT

Environmentally friendly and ecological:

- Water-based product, without soda or potash.
- Non-hazardous and non-toxic.
- More than 87% of the raw materials are from renewable resources of vegetable origin.
- Over 90% biodegradable.
- $\text{VOC} < 1 \text{ g/l}^*$.

APPLICATION TOOLS

Apply with a low pressure sprayer.



CHEMICAL NATURE

Aqueous solution based on surfactants of vegetable origin.

TECHNICAL DATA

Physical condition at 20 °C	: Liquid
Colour	: Colourless
Smell	: None
pH	: 8.8 ± 0.5
Boiling point [°C]	: Not specified
Density	: 1.03 ± 0.02
Solubility in water [vol/vol]	: Total
Flash point [°C]	: Non applicable

HOW TO USE

- Product ready for use.
- Always carry out a test on the surface before application.
- Apply the product generously to the surface to be treated.
- Leave to act for 15 to 30 minutes depending on the dirt to be removed.
- Brushing with a conventional broom can improve the effectiveness of the product.
- Rinse the entire surface with a cold or hot water pressure washer for increased effectiveness. Indoors, rinse the surface thoroughly with clean water.
- It is not necessary to neutralise the treated surface.

PREVENTION

To avoid further soiling after cleaning and drying the surface, it is recommended to apply a preventive treatment with a protective product from the **ProtectGuard®** or **ImperGuard®**.

COVERAGE

Values given as an indication.

5 to 8 m² / liter.

CLEANING YOUR EQUIPMENT

Clean used tools and equipment with water immediately after use.

STORAGE

- Store in a dry place at a temperature between 5°C and 30°C.
- Shelf life: 48 months from the date of manufacture, in unopened original packaging.

RECOMMENDATIONS

- Protect metal surfaces (aluminium, zinc, tin, copper, light alloys, etc.).
- For a perfect application, the product must be used when the temperature of the supports is between 5°C and 30°C.
- Do not apply in rainy or very hot weather.
- Ideal air temperature between 5°C and 30°C.
- Do not mix with other products.

HEALTH AND SAFETY

- Breathing protection: No breathing protection equipment is required under normal use conditions with suitable ventilation.
- Hand protection: Wear household rubber gloves.
- Skin protection: Wear protective clothing over exposed areas of skin.
- Eye protection: If there is a risk of a large splash wear protective goggles.
- In case of ingestion: Do not induce vomiting. Contact a doctor or specialist.

KEEP OUT OF REACH OF CHILDREN

TECHNICAL SUPPORT

GUARD INDUSTRY

695B Rue de l'Hers - ZA de la Masquere

31750 ESCALQUENS • FRANCE

Tel: +33 (0)1.55.86.17.60 • Fax:+33 (0)1.48.58.16.89

E-mail : contactus@guardindustry.com

www.guardindustry.com

Important: The content of this documentation is based on our experience with the product. Guard Industry guarantees the quality of its products but expressly disclaims all liability if the user does not follow the recommendations and conditions of use of the products, especially but not exclusively in the case of faulty application, application by untrained personnel, use of products not compatible with Guard Industry products, or adverse weather conditions. For more information, consult the safety data sheet.

For the most recent version of our data sheet, visit our website

www.guardindustry.com

Last updated : 24/04/2023