

Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

Date: 06/03/2022 Page 1/9

Revision: N°8 (06/03/2022)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: PROTECTGUARD CE

Product code: 2142.

UFI: UWW5-T0DN-S00J-2FMD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Protection product Concrete

# 1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

Mixture for spray application.

### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Hazard statements:

H315 Causes skin irritation.

Precautionary statements - Prevention:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of water/soap.
P321 In case of visiting a doctor, show the MSDS.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

Date: 06/03/2022 Page 2/9

Revision: N°8 (06/03/2022)

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

# **Composition:**

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 17980-47-1	GHS07		50 <= x % < 100
EC: 402-810-3	Wng		
	Skin Irrit. 2, H315		
TRIETHOXYISOBUTYLSILANE			
CAS: .	GHS08		2.5 <= x % < 10
EC: 926-141-6	Dgr		
REACH: 01-2119456620-43	Asp. Tox. 1, H304		
	EUH:066		
HYDROCARBURES, C11-C14, N-ALCANES	,		
ISOALCANES, CYCLIQUES, <2%			
AROMATIQUES			

### **Specific concentration limits:**

Identification	Specific concentration limits	ATE
CAS: 17980-47-1		inhalation: ATE = 5.88 mg/l 4h
EC: 402-810-3		
TRIETHOXYISOBUTYLSILANE		

### **Information on ingredients:**

(Full text of H-phrases: see section 16)

### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

### In the event of exposure by inhalation:

Take immediately the victim to fresh air. if breathing is difficult, call a doctor immediately.

### In the event of splashes or contact with eyes:

Wash thoroughly with soft and clean water during 15 minutes while keeping the eyes wide opened.

Refer the subject to an ophthalmologist, especially if there is redness, pain or visual discomfort.

# In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

Date: 06/03/2022 Page 3/9

Revision: N°8 (06/03/2022)

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### **6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

### Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Storage temperature: between 5 and 25°C.

keep away from direct solar light. Max. storage time: 24 months



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

Date: 06/03/2022 Page 4/9

Revision: N°8 (06/03/2022)

#### **Packaging**

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No data available.

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

# - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

In case of dusts/vapours/aerosols being formed or if th elimit values like TLV are exceeded: use respiratory equipment with suitable filter (filter type ABEK) or wear a self contained respiratory appartus.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

#### Physical state

Physical state: Fluid liquid.

Colour

Uncoloured to pale yellow

Odour

Odour threshold: Not stated.

Caractertistic

**Melting point** 

Melting point/melting range: Not specified.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

Date: 06/03/2022 Page 5/9

Revision: N°8 (06/03/2022)

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Not stated. Not stated. Explosive properties, upper explosivity limit (%):

Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Not specified. Self-ignition temperature:

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

Not relevant. pH: Not stated. pH (aqueous solution):

Kinematic viscosity

Viscosity: Not stated.

 $7 \text{ mm2/s} \le v \le 14 \text{ mm2/s} (40^{\circ}\text{C})$ Viscosity:

Solubility

Water solubility: Insoluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

< 1 Density:

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

No data available.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

#### 11.1.1. Substances

### Acute toxicity:

HYDROCARBURES, C11-C14, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES (CAS:.)

Oral route : LD50 > 5000 mg/kg

Species: Rat

OECD Guideline 401 (Acute Oral Toxicity)

Date: 06/03/2022 Page 6/9

Revision: N°8 (06/03/2022)

 $Dermal \ route: LD50 > 5000 \ mg/kg$ 

Species: Rabbit

OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Dusts/mist): LC50 > 5000 mg/m3

Species: Rat

OECD Guideline 403 (Acute Inhalation Toxicity)

TRIETHOXYISOBUTYLSILANE (CAS: 17980-47-1)

Oral route: LD50 > 5000 mg/kg

Species: Rat (recommended by the CLP)

 $Dermal \ route: \qquad \qquad 2,000 < LD50 <= 5000 \ mg/kg$ 

Species: Rat (recommended by the CLP)

Inhalation route (n/a) : LC50 = 5.88 mg/l

Species: Rat (recommended by the CLP)

Duration of exposure: 4 h

#### 11.1.2. Mixture

No toxicological data available for the mixture.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

### 12.1.1. Substances

TRIETHOXYISOBUTYLSILANE (CAS: 17980-47-1)

Fish toxicity: LC50 = 85 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD CE - 2142

12.2. Persistence and degradability

#### 12.2.1. Substances

HYDROCARBURES, C11-C14, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES (CAS: .)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly

TRIETHOXYISOBUTYLSILANE (CAS: 17980-47-1)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

#### 12.3. Bioaccumulative potential

#### 12.3.1. Substances

HYDROCARBURES, C11-C14, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES (CAS: .)

OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method)

Date: 06/03/2022 Page 7/9

Revision: N°8 (06/03/2022)

### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

#### 12.7. Other adverse effects

No data available.

### German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 1: Slightly hazardous for water.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

# 14.1. UN number or ID number

-

### 14.2. UN proper shipping name

-

# 14.3. Transport hazard class(es)

-

### 14.4. Packing group

\_



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

#### PROTECTGUARD CE - 2142

Date: 06/03/2022 Page 8/9

Revision: N°8 (06/03/2022)

#### 14.5. Environmental hazards

-

### 14.6. Special precautions for user

-

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

#### - Container information:

No data available.

#### - Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 1: Slightly hazardous for water.

#### 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

### Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

 $UFI: Unique\ formulation\ identifier.$ 

STEL: Short-term exposure limit

TWA: Time Weighted Averages

TMP: French Occupational Illness table

TLV : Threshold Limit Value (exposure)

 $AEV:\ Average\ Exposure\ Value.$ 

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Revision : N°8 (06/03/2022)

Date: 06/03/2022 Page 9/9

# PROTECTGUARD CE - 2142

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.