

Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date: 03/04/2022 Page 1/10

Revision: N°9 (03/04/2022)

SAFETY DATA SHEET
(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: SUPERANTIGRAFFITI FLAT FINISH

Product code: 2221.

UFI: 4P46-S0X0-Y00N-AENG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Protection product ANTIGRAFFITI PROTECTION

1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Repeated exposure may cause skin dryness or cracking (EUH066).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

The product can also be applied with a brush or a roller.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS02 GHS07

Signal Word : WARNING

Product identifiers:

CAS 35501-23-6 N,N-DIBUTYLAMINOMÉTHYL-TRIÉTHOXYSILANE EC 217-164-6 AMINOÉTHYLAMINOPROPYLTRIMÉTHOXYSILANE

Hazard statements:

H226 Flammable liquid and vapour. H317 May cause an allergic skin reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements - Prevention :

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S. Date: 03/04/2022 Page 2/10 Revision: N°9 (03/04/2022)

SUPERANTIGRAFFITI FLAT FINISH - 2221

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/soap.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P321 In case of visiting a doctor, show the MSDS.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary statements - Storage :

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary statements - Disposal:

P501 Dispose of contents/container referring to the local regulation.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances> = 0.1 % with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

CAS: 64742-48-9 GHS08 25 <= x 9	% < 50
	0 < 50
EC: 918-481-9 Dgr	
REACH: 01-2119457273-39 Asp. Tox. 1, H304	
EÚH:066	
HYDRCARBURES, C10-C13, N-ALCANES,	
ISOALCANES, COMPOSES CYCLIQUES,	
SUBSTANCES AROMATIQUES <2%	
CAS: $35501-23-6$ GHS07 $2.5 <= x$	% < 10
REACH: 01-2120096609-40 Wng	
Skin Sens. 1B, H317	
N,N-DIBUTYLAMINOMÉTHYL-TRIÉTHOX	
YSILANE	
INDEX: $649-422-00-2$ GHS08 $2.5 <= x$	% < 10
CAS: 64742-47-8 Dgr	
EC: 265-149-8 Asp. Tox. 1, H304	
DISTILLATES (PETROLEUM), HYDRO-	
TREATED LIGHT	
INDEX: 649-327-00-6 GHS08 P	
CAS: 64742-48-9 Dgr	
EC: 265-150-3 Asp. Tox. 1, H304	
NAPHTHA (PETROLEUM),	
HYDROTREATED HEAVY	
CAS: 1760-24-3 GHS05, GHS07	
EC: 217-164-6 Dgr	
REACH: 01-2119970215-39 Skin Sens. 1B, H317	
Eye Dam. 1, H318	
AMINOÉTHYLAMINOPROPYLTRIMÉTHOX	
YSILANE	



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

Date: 03/04/2022 Page 3/10

Revision: N°9 (03/04/2022)

SUPERANTIGRAFFITI FLAT FINISH - 2221

Information on ingredients:

(Full text of H-phrases: see section 16)

Note P: The carcinogen or mutagen classification does not apply because the substance contains less than 0.1 % w/w of benzene (EINECS 200-753-7).

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Alert an emergency medical service.

Complementary care to do in an ophtalmic hospital or by an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date: 03/04/2022 Page 4/10

Revision: N°9 (03/04/2022)

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged: always ground when decanting. Wear antistatic shoes and clothing and make floors of non-conductive

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

$\label{lem:Recommended equipment and procedures:} \\$

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date: 03/04/2022 Page 5/10

Revision: N°9 (03/04/2022)

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

9.2. Other information

Fire propagation

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date : 03/04/2022 Page 6/10 Revision : N°9 (03/04/2022)

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES	
9.1. Information on basic physical and chemical properties	
Physical state	
Physical state:	Fluid liquid.
Colour	
Clear	
Odour	
Odour threshold:	Not stated.
Caractertistic	
Melting point	
Melting point/melting range:	Not specified.
Freezing point	
Freezing point / Freezing range:	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range:	Not specified.
Flammability	
Flammability (solid, gas):	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash Point:	50.50 °C.
	Method for determining the flash point:
	ISO 3679 (Determination of flash point - Rapid
	equilibrium closed cup method).
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range:	Not specified.
рН	
pH:	Not relevant.
pH (aqueous solution):	Not stated.
Kinematic viscosity	
Viscosity:	Not stated.
Solubility	
Water solubility:	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water:	Not stated.
Vapour pressure	
Vapour pressure (50°C):	Not relevant.
Density and/or relative density	
Density:	< 1
Relative vapour density	
Vapour density:	Not stated.

>110°C (ISO 9038)



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date: 03/04/2022 Page 7/10

Revision: N°9 (03/04/2022)

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid

- accumulation of electrostatic charges.
- heating
- heat
- flames and hot surfaces

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Oral route : LD50 > 5000 mg/kg

Species: Rat (recommended by the CLP)
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route: LD50 > 5000 mg/kg

Species: Rabbit (recommended by the CLP)
OECD Guideline 402 (Acute Dermal Toxicity)



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Inhalation route (n/a): LC50 > 4951 mg/m3

Species: Rat (recommended by the CLP)
OECD Guideline 403 (Acute Inhalation Toxicity)

Carcinogenicity:

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Carcinogenicity Test: Negative.

No carcinogenic effect.

OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Date: 03/04/2022 Page 8/10 Revision: N°9 (03/04/2022)

Reproductive toxicant:

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

No toxic effect for reproduction

OECD Guideline 414 (Prenatal Developmental Toxicity Study)

OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the

Reproduction / Developmental Toxicity Screening Test)

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Fish toxicity: LC50 > 100 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 100 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 100 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Biodegradability : no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date: 03/04/2022 Page 9/10

Revision: N°9 (03/04/2022)

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

$German\ regulations\ concerning\ the\ classification\ of\ hazards\ for\ water\ (WGK,AwSV\ vom\ 18/04/2017,KBws):$

WGK 1: Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

_

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

No data available.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 1 : Slightly hazardous for water.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

SUPERANTIGRAFFITI FLAT FINISH - 2221

Date: 03/04/2022 Page 10/10

Revision: N°9 (03/04/2022)

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI: Unique formulation identifier.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

 $IMDG: International\ Maritime\ Dangerous\ Goods.$

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02: Flame

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.