

Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD COLOR SPECIAL GRP - 9120

Date: 05/07/2022 Page 1/9

Revision: N°2 (18/03/2022)

SAFETY DATA SHEET
(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PROTECTGUARD COLOR SPECIAL GRP

Product code: 9120.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Protection and decoration products GRP

1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Mixture for spray application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains 4,5-DICHLORO-2-N-OCTYL-4-ISOTHIAZOLE-3-ONE. May produce an allergic reaction.

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention :

P273 Avoid release to the environment.

Precautionary statements - Disposal :

P501 Dispose of contents/container referring to the local regulation.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD COLOR SPECIAL GRP - 9120

Date: 05/07/2022 Page 2/9 Revision: N°2 (18/03/2022)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Composition .			ı
Identification	(EC) 1272/2008	Note	%
CAS: 64359-81-5	GHS06, GHS05, GHS09		$0 \le x \% < 1$
EC: 264-843-8	Dgr		
	Acute Tox. 4, H302		
4,5-DICHLORO-2-N-OCTYL-4-ISOTHIAZOL	Acute Tox. 3, H311		
E-3-ONE	Skin Corr. 1, H314		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 2634-33-5	GHS07, GHS05, GHS09		0 >= x % < 0.05
EC: 220-120-9	Dgr		
	Acute Tox. 4, H302		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Irrit. 2, H315		
	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	Aquatic Acute 1, H400		
	M Acute = 1		

Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 64359-81-5		dermal: ATE = 680 mg/kg BW
EC: 264-843-8		oral: ATE = 756 mg/kg BW
4,5-DICHLORO-2-N-OCTYL-4-ISOTHIAZOL		
E-3-ONE		
CAS: 2634-33-5	Skin Sens. 1: H317 C>= 0.05%	oral: ATE = 500 mg/kg BW
EC: 220-120-9		
1,2-BENZISOTHIAZOL-3(2H)-ONE		

Information on ingredients:

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes:

Wash thoroughly with soft and clean water during 15 minutes while keeping the eyes wide opened.

Refer the subject to an ophthalmologist, especially if there is redness, pain or visual discomfort.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

Wash with water and soap. if any sign/symptom develops seek for medical assistance.

Remove contaminated clothes. Wash them carefully before using them again.

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD COLOR SPECIAL GRP - 9120

Date: 05/07/2022 Page 3/9

Revision: N°2 (18/03/2022)

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Storage temperature: between 5 and 25°C. Store in a cool and well ventilated area. keep away from direct solar light. Maximum storage: 12 months.



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD COLOR SPECIAL GRP - 9120

Date: 05/07/2022 Page 4/9

Revision: N°2 (18/03/2022)

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

Caractertistic

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range: Not stated.



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S. Revision : N°2 (18/03/2022)

Date: 05/07/2022 Page 5/9

PROTECTGUARD COLOR SPECIAL GRP - 9120

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: 100 °C.

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%):

Explosive properties, upper explosivity limit (%):

Not stated.

Flash point

Flash point interval: Not relevant.

Auto-ignition temperature

Self-ignition temperature: Not relevant.

Decomposition temperature

Decomposition point/decomposition range: Not specified.

pН

pH: 7.00 +/-0.5.

Neutral.

pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Viscosity: $v < 7 \text{ mm2/s} (40^{\circ}\text{C})$

Solubility

Water solubility: Soluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1,06 +/- 0.02

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

 $\textbf{9.2.1.} \ \textbf{Information with regard to physical hazard classes}$

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- frost



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD COLOR SPECIAL GRP - 9120

Date: 05/07/2022 Page 6/9

Revision: N°2 (18/03/2022)

10.5. Incompatible materials

Keep away from:

- strong acids
- strong bases

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity:

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

Oral route : LD50 = 500 mg/kg

Species: Rat

4,5-DICHLORO-2-N-OCTYL-4-ISOTHIAZOLE-3-ONE (CAS: 64359-81-5)

Oral route : LD50 = 756 mg/kg

Species: Rat

Dermal route : LD50 = 680 mg/kg

Species: Rabbit

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

Fish toxicity: LC50 < 1 mg/l

Duration of exposure: 96 h

Crustacean toxicity: EC50 < 1 mg/l

Duration of exposure: 48 h

Algae toxicity: ECr50 < 1 mg/l

Duration of exposure: 72 h

 $4,5\text{-}DICHLORO\text{-}2\text{-}N\text{-}OCTYL\text{-}4\text{-}ISOTHIAZOLE\text{-}3\text{-}ONE\ (CAS:\ 64359\text{-}81\text{-}5)}$

Fish toxicity : LC50 = 0.0027 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 = 0.0047 mg/l

Species: Mysidopsis bahia



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S. Revision : N°2 (18/03/2022)

Date: 05/07/2022 Page 7/9

PROTECTGUARD COLOR SPECIAL GRP - 9120

Duration of exposure: 96 h

Algae toxicity: ECr50 = 0.032 mg/l

Species: Selenastrum capricornutum

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

Biodegradability: Non-rapidly degradable.

4,5-DICHLORO-2-N-OCTYL-4-ISOTHIAZOLE-3-ONE (CAS: 64359-81-5)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

12.3.1. Substances

1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)

Octanol/water partition coefficient : log Koe = 1.45

Bioaccumulation: BCF = 2

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 2: Hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

PROTECTGUARD COLOR SPECIAL GRP - 9120

Date: 05/07/2022 Page 8/9

Revision: N°2 (18/03/2022)

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:

No data available.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 2: Hazardous for water.

15.2. Chemical safety assessment

No data available.

H410

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Very toxic to aquatic life with long lasting effects.

Wording of the phrases mentioned in section 3:

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.



Version: N°2 (05/07/2022) GUARD INDUSTRIE S.A.S.

Date: 05/07/2022 Page 9/9

Revision: N°2 (18/03/2022)

PROTECTGUARD COLOR SPECIAL GRP - 9120

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.