

Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Date: 18/10/2022 Page 1/9

Revision: N°4 (15/09/2022)

SAFETY DATA SHEET
(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: GTP MINERAL

Product code: 8510.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Protection product

1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Mixture for spray application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS08

Signal Word:

DANGER

Product identifiers:

EC 918-481-9 HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES,

SUBSTANCES AROMATIQUES < 2%

Additional labeling:

Hazard statements:

H304 May be fatal if swallowed and enters airways.

Precautionary statements - Prevention :

P264 Wash hands thoroughly after handling.

Precautionary statements - Response :

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Precautionary statements - Disposal :

P501

Dispose of contents/container refering to the local regulation.

Date: 18/10/2022 Page 2/9

Revision: N°4 (15/09/2022)

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

C 0111 P 05111 011 1			
Identification	(EC) 1272/2008	Note	%
CAS: 64742-48-9	GHS08		10 <= x % < 25
EC: 918-481-9	Dgr		
REACH: 01-2119457273-39	Asp. Tox. 1, H304		
	EUH:066		
HYDRCARBURES, C10-C13, N-ALCANES,			
ISOALCANES, COMPOSES CYCLIQUES,			
SUBSTANCES AROMATIQUES <2%			

Information on ingredients:

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation:

Bring the victim outside to fresh air, keep in rest in a position allowing correct breathe. Seek immediately for medical attention or call a ANTIPOISON CENTRE.

In the event of splashes or contact with skin:

Wash with water and soap. if any sign/symptom develops seek for medical assistance.

Remove contaminated clothes. Wash them carefully before using them again.

In the event of swallowing:

Do not give the patient anything orally.

Seek medical attention, showing the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- foam
- powder



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Date: 18/10/2022 Page 3/9

Revision: N°4 (15/09/2022)

- sprayed water or water mist

- carbon dioxide (CO2)
- dry sand

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Refresh the containers thanks to water to avoid decomposition of the product or release of dangerous substances. Always use a complete protection equipment against fire. Recover water that was used for the extinction. This water must not be discharged into sewers. Eliminate contamined water in compliance with local regulation.

Do not penetrate in the fire area without protection equipment, including breathing protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Keep Unnecessary staff away.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Never inhale this mixture.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Date: 18/10/2022 Page 4/9

Revision: N°4 (15/09/2022)

Storage

Keep away from food and drink, including those for animals.

Storage temperature: between 5 and 25°C.

Store in a cool and well ventilated area.

Keep away from heat, free fire, spark and other ignition sources

Do not store closed to acids. keep away from direct solar light.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

N/A

Odour

Odour threshold: Not stated.

Caractertistic



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Date: 18/10/2022 Page 5/9

Revision: N°4 (15/09/2022)

Melting point

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: > 280°C

Flammability

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%):

Not stated.

Explosive properties, upper explosivity limit (%):

Not stated.

Flash point

Flash Point Interval : FP > 100 °C.

Auto-ignition temperature

Self-ignition temperature: Not specified.

Decomposition temperature

Decomposition point/decomposition range: Not specified.

pН

pH: Not relevant.
pH (aqueous solution): Not stated.

Kinematic viscosity

Viscosity: Not stated.

Viscosity: $v < 7 \text{ mm}2/s (40^{\circ}\text{C})$

Solubility

Water solubility: Insoluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density : 0.86 ± 0.01

Relative vapour density

Vapour density: Not stated.

9.2. Other information

No data available.

 $\textbf{9.2.1.} \ \textbf{Information with regard to physical hazard classes}$

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

10.4. Conditions to avoid

Avoid:

- flames and hot surfaces
- exposure to light

10.5. Incompatible materials

Keep away from:

- bases
- acids

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.1.1. Substances

Acute toxicity:

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Oral route: LD50 > 5000 mg/kg

Species: Rat (recommended by the CLP) OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 5000 mg/kg

Species: Rabbit (recommended by the CLP)
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a): LC50 > 4951 mg/m3

Species: Rat (recommended by the CLP)
OECD Guideline 403 (Acute Inhalation Toxicity)

Carcinogenicity:

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Carcinogenicity Test: Negative.

No carcinogenic effect.

OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Date: 18/10/2022 Page 6/9

Revision: N°4 (15/09/2022)

Reproductive toxicant:

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

No toxic effect for reproduction

OECD Guideline 414 (Prenatal Developmental Toxicity Study)

OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the

Reproduction / Developmental Toxicity Screening Test)

11.1.2. Mixture

Aspiration hazard:

May be fatal if swallowed and enters airways.



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Aspiration toxicity includes severe acute effects such as chemical pneumonia, varying degrees of pulmonary injury or death following aspiration.

11.2. Information on other hazards

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Fish toxicity: LC50 > 100 mg/l

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity: EC50 > 100 mg/l

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity: ECr50 > 100 mg/l

Species: Pseudokirchnerella subcapitata

Date: 18/10/2022 Page 7/9

Revision: N°4 (15/09/2022)

Duration of exposure: 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

HYDRCARBURES, C10-C13, N-ALCANES, ISOALCANES, COMPOSES CYCLIQUES, SUBSTANCES

AROMATIQUES < 2% (CAS: 64742-48-9)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 1: Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

GTP MINERAL - 8510

Date: 18/10/2022 Page 8/9

Revision: N°4 (15/09/2022)

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

No data available.

- Particular provisions:

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 1: Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.



Version: N°1 (15/09/2022) GUARD INDUSTRIE S.A.S.

Date: 18/10/2022 Page 9/9

Revision: N°4 (15/09/2022)

GTP MINERAL - 8510

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50: The effective concentration of substance that causes 50% of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS08: Health hazard

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.