

**CMR-FREE
CERTIFIED**

CONCENTRATED HEAVY DUTY DEGREASER FOR CONSTRUCTION EQUIPMENT

- DEGREASES AND CLEANS**
- ACTIVE AND ULTRA FAST ACTION**

- VERY CONCENTRATED**
- DOES NOT ALTER SURFACES**

DESCRIPTION

GT Blue Power® is a degreaser based on powerful synergistic surfactants. High performance cleaner, it allows to eliminate quickly greases, oils and all greasy substances.

Thanks to its wetting power and its de-scaling additives, GT Blue Power® is particularly suitable for all heavy cleaning of construction equipment and heavily soiled surfaces.

GT Blue Power® is formulated without solvents and is safe for paints, rubber and glass.

USE

GT Blue Power® is ideal for public works, construction, agricultural or truck machinery, engines and chassis, equipment and machines of the construction industry.

CHEMICAL NATURE

Silicate mixture, salts and surfactants.

BENEFITS AND FEATURES

- Strong degreasing power with fast action.
- Solvent-free synergistic formula for quick and safe cleaning.
- Does not alter surfaces.
- Concentrated formula.

PACKAGING

Cans of 25L.
200L drums.
Tanks of 1000L.



TECHNICAL DATA

Physical state at 20 °C	: Liquid
Color	: Blue
Smell	: Pleasant
pH	: > 12
Density	: 1.08 ± 0.01
Solubility in water [vol/vol]	: Total
VOCS	: < 1 g/l

APPLICATION

- Pre-testing and wearing personal protective equipment is essential.

Recommendation for dilution:

- Very dirty surface = 1L of product for 1L of water.
- Dirty surface = 1L of product for 9L of water.
- Spray evenly from bottom to top with a low pressure sprayer.
- Leave to act for 2 to 3 minutes.
- Rinse thoroughly from bottom to top with a high pressure cleaner.

APPLICATION TOOLS

Apply with a low pressure sprayer.



COVERAGE

The values below are given as an indication for 1 liter of product ready to use:

3 to 5 m² / liter.

EQUIPMENT CLEANING

Clean tools and equipment with water immediately after use.

STORAGE

- Store in a dry place at a temperature between 5°C and 30°C.
- Shelf life : 24 months from the date of manufacture, in original unopened packaging.

PRECAUTIONS FOR USE

- Do not allow to dry on the surface.
- Do not mix with other products.
- Do not use on raw aluminum and do not leave in prolonged contact with light alloys.

- Do not apply on hot bodies or in direct sunlight.
- In concentrated form, this product can mattify painted surfaces, varnishes and glass surfaces.
- Always neutralize its action by rinsing. Make a preliminary test in case of use in strong concentration on certain materials sensitive to the alkaline detergents.
- Rinse off accidental splashes and drips immediately on peripheral surfaces not affected by the treatment.
- For a perfect application, **GT Blue Power®** must be used when the temperature of the supports is included between 5°C and 30°C.
- Do not apply in rainy or very hot weather. Air temperature between 5°C and 30°C.
- Guard Industrie cannot be held responsible for a too low dilution or a bad rinsing on the support. Always do a test beforehand.

HEALTH / SAFETY

For intensive use, refer to paragraph 8.2 of the safety data sheet.

- Respiratory protection: No respiratory protective equipment is required under normal conditions of use.
- Hand protection: Wear chemical resistant gloves (neoprene, PVC...).
- Skin protection: Wear long-sleeved skin protection clothing.
- Eye protection: Wear safety glasses.
- If swallowed: Do not induce vomiting. Contact a doctor or specialist.

PROFESSIONAL USE ONLY



TECHNICAL SUPPORT

GUARD INDUSTRY

695B Rue de l'Hers - ZA de la Masquere
31750 ESCALQUENS • FRANCE

Tél: +33 (0)1.55.86.17.60 • Fax:+33 (0)1.48.58.16.89

E-mail : contactus@guardindustry.com

www.guardindustry.com

Important: The content of this documentation is based on our experience with the product. Guard Industry guarantees the quality of its products but expressly disclaims all liability if the user does not follow the recommendations and conditions of use of the products, especially but not exclusively in the case of faulty application, application by untrained personnel, use of products not compatible with Guard Industry products, or adverse weather conditions. For more information, consult the safety data sheet.

For the most recent version of our data sheet, visit our website
www.guardindustry.com

Last updated : 10/01/2025